

types overview
FM-0270

Clarus

Frank Sitzmöbel GmbH - Grafenheider Straße 20 - D-33729 Bielefeld
Tel +49 (0) 521 / 164 60-0 Fax -19

www.frank-sitzmoebel.de | info@frank-sitzmoebel.de

CLARUS



Model description

Design: Georg Appeltshauser

Frame: The seat is made of welded steel. The back is of solid wood and plywood, which has been dowelled and glued. The armrest is a welded metal frame foam padding. The foot mechanism is of welded and bolted sectional steel. All swivel points are fitted with maintenance-free mechanical bearings.

Springs: Elastic straps with tight cross braiding. The seat firmness setting can be adjusted by changing the depth of the cross straps.

Upholstery: Seat cushion is made up of several layers. To achieve soft cover processing and improve the durability of the cover fabric, the seat cushion is provided with an extra 25 mm thick soft padding.

Feet: Anodised aluminium, polished chrome or beech, as soon as polished chrome runner for sofa and armchair.

Seating comfort: We achieve extremely comfortable seating due to our intensive development work and the use of high quality, multi-layer material compositions.

Cover processing: Removable fabric and leather covers are held in place with Velcro straps. The covers of cushions are slightly attached.

Footrests: there are footrests with 2 different functions: one with manual pull-out (FM-0270/92) and one with automatic activation (FM-0270/95). The manual pull-out can be fitted underneath the sofa on the left or right, and the position can be changed at any time. With the automatic version, the position has to be sta-

ted in advance (to the left or right, seen from the front) since the lever has to be attached to the seat frame in advance. The position may be changed later on site by a member of our service team for a charge. The footrest with the automatic action can only be attached on the armrest side.

Function: two-seater sofa and sofa unit: The Clarus footrest can be installed on request either on the left and/or right underneath the seat of the two-seater. Installation at a later date is possible. There is a headrest cushion metal support built into the back corpus on both the left and the right sides of the sofa and the sofa unit.


Three-seater sofa and sofa unit: On request it is possible to install a footrest and/or headrest cushion metal support in the middle section of the three-seated model at an additional price. **Recamiere:** There is a headrest cushion metal support built into the small corpus back on the attachment side. There is no headrest cushion support built into the corpus back along the length of the recamiere. It is technically not possible to install footrests on the recamiere. The recamiere is a base unit with four feet. **Corner unit:** There is a headrest cushion metal support built into each side of the back.

Back function: Clarus can also be supplied with an adjustable back on request. The back of each seat can then be adjusted continuously up to 20°. The adjustment is effected by a push button set in the armrest. On the three-seater sofa, the middle back is fixed. On the add-on elements, the back on the armrest side is adjustable; the other one is fixed. This function is not possible on the corner element or recamiere.


Arm-/headrestcushion: the cushion in its function as a headrest can be individually positioned in two heights by an incorporated zip in the strap.

Connecting elements: The basic units are to be connected with a recamiere on one side. Two basic units can be connected with a corner unit.

CLARUS



Complete with 2 headrest cushion metal supports
and 2 Arm-/Headrest cushions
(middle without cushion metal support)



Complete with 2 headrest cushion metal supports
and 2 Arm-/Headrest cushions

MODEL	SO 238 Sofa FM-0270/03	SO 238 Sofa FM-0270/03KL with fold-away back	SO 208 Sofa FM-0270/53	SO 208 Sofa FM-0270/53KL with fold-away back
	Complete with 2 ATKI	Complete with 2 ATKI	Complete with 2 ATKI	Complete with 2 ATKI
SIZES IN CM	Width	238		208
	Depth	95 (150)	106 (161)	95 (150) 106 (161)
	Height	80		80
	Special height	82,5 feet + 2.5 cm		82,5 feet + 2.5 cm
	Seating depth	54 reduced depth 52 cm		54 reduced depth 52 cm
	Seating height	42		42
	Special Seating height	44,5 feet + 2,5 cm		44,5 feet + 2,5 cm
	Armrest height	50 Special height 52,5 cm (feet + 2,5 cm)		50 Special height 52,5 cm (feet + 2,5 cm)
FABRIC/LEATHER	Front raw edge, rm/140	10,50		9,30
	Front selvedge, rm/140	11,20		10,20
	Leather sqm	19,10		17,10
Customer's own fabric*				
Customer's own leather*				
(*See page 6)				
Fabric Price Group** 05				
(**See page 99)				
07				
12				
14				
15				
Microsede Col Cht. 16				
19				
Leather Price Group F				
A/O				
K				
N				
Requested Leather col. W***				
*** Description p. 95	Fully foam padded back cushion: addit. price Here: 3 back cushion: addit. price		Fully foam padded back cushion: addit. price Here: 2 back cushion: addit. price	

ORDER INFORMATION Release button for the mechanism available in special steel (standard) or black lacquer

Seating depth: Standard 54 cm, Reduced depth: 52 cm (harder setup of the back about 2cm)

Additional backcushion FM-0270/81: not fixed additional backcushion (W/H/D: 80/35/2 cm) covered with FSM-lining. It is placed between the backcushion and the corpus to reduce the seating depth. price per cushion:

Seating height: Standard 42 cm, Special height: 44,5 cm

Koki-metal support: Standard silver or Special design: black
Special colours are not available


Feet: Standard: natural anodised aluminium or black

Special design: polished chrome additional price per component:


Special design: wood feet, natural coloured beech, lower part chrome-plated additional price per component:

46 Special design: Polished chrome runner for sofa
(no Special height possible)


additional price per component:



Complete with 2 headrest cushion metal supports and 2 Arm-/Headrest cushions



Complete with 2 headrest cushion metal supports and 2 Arm-/Headrest cushions



SO 188 Sofa FM-0270/23		SO 188 Sofa FM-0270/23KL with fold-away back		SO 168 Sofa FM-0270/02		SO 168 Sofa FM-0270/02KL with fold-away back		footrest turn to page 55 Please note the different versions.
Complete with 2 ATKI		Complete with 2 ATKI		Complete with 2 ATKI		Complete with 2 ATKI		
188		188		168		168		
95 (150)	106 (161)	95 (150)	106 (161)	95 (150)	106 (161)	95 (150)	106 (161)	
80		80		80		80		
82,5 feet + 2.5 cm		82,5 feet + 2.5 cm		82,5 feet + 2.5 cm		82,5 feet + 2.5 cm		
54 reduced depth 52 cm		54 reduced depth 52 cm		54 reduced depth 52 cm		54 reduced depth 52 cm		
42		42		42		42		
44,5 feet + 2,5 cm		44,5 feet + 2,5 cm		44,5 feet + 2,5 cm		44,5 feet + 2,5 cm		
50 Special height 52,5 cm (feet + 2,5 cm)		50 Special height 52,5 cm (feet + 2,5 cm)		50 Special height 52,5 cm (feet + 2,5 cm)		50 Special height 52,5 cm (feet + 2,5 cm)		
8,70		8,70		8,10		8,10		
8,80		8,80		8,30		8,30		
16,40		16,40		15,30		15,30		
05		05		05		05		
07		07		07		07		
12		12		12		12		
14		14		14		14		
15		15		15		15		
16		16		16		16		
19		19		19		19		
F		F		F		F		
A/O		A/O		A/O		A/O		
K		K		K		K		
N		N		N		N		
W***		W***		W***		W***		
Fully foam padded back cushion: addit. price Here: 2 back cushion: addit. price				Fully foam padded back cushion: addit. price Here: 2 back cushion: addit. price				

Footrest: - footrest supporting arm: silver / special version: black coated
- footrest upholstered pad: upholstered panel, covered

Footrests: If ordering the footrest with the automatic action please state the position of installation, i.e. to the left or right seen from in front.


The footrest FM-0270/92 is operated manually, and can be fitted on the right and/or left of any sofa size and in centre of the SO 238 Sofa (FM-0270/03 & FM-0270/03KL).

The foot section with the automatic release FM-0270/95 can only be attached on the armrest side.

The footrest comes unassembled, packed separately in boxes.

All legs come with slot-in glides for carpet and parquet floors.

CLARUS



Complete with 1 headrest cushion metal supports and 1 Arm-/Headrest cushion
 >> See page 32 <<



MODEL	Claro SE 082 Armchair FM-0230/51 Depth 50 cm Complete with 1 ATKI	Claro SE 082 Armchair FM-0230/51KL with fold-away back Depth 50 cm Complete with 1 ATKI	HO 66/46 Stool FM-0270/05	ATKI/KOKI Armrest cushions / headrest cushions for sofas FM-0270/98 1 pc
-------	---	--	--	---

SIZES IN CM					
Width		82		70	50/45
Depth		82 (124)	93 (135)	50	36
Height		80		40	---
Special height		82,5 feet + 2.5 cm		42,5	---
Seating depth		50		---	---
Seating height		42		---	---
Special Seating height		44,5 feet + 2,5 cm		42,5	---
Armrest height		50 Special height 52,5 cm (feet + 2,5 cm)		---	---

FABRIC/LEATHER					
		AL-F			
Front raw edge, rm/140		4,20		1,50	0,90
Front selvedge, rm/140		4,20		1,50	0,90
Leather sqm		7,40		1,90	1,10

Customer's own fabric*					
Customer's own leather*					
(*See page 6)					
Fabric Price Group** 05					
(**See page 99)					
07					
12					
14					
15					
Microsede Col Cht. 16					
19					
Leather Price Group F					
A/O					
K					
N					
Requested Leather col. W***					
*** Description p. 95					

See Claro Armchair page 36

ORDER INFORMATION Release button for the mechanism available in special steel (standard) or black lacquer

Seating depth: Standard 54 cm, Reduced depth: 52 cm (harder setup of the back about 2cm)
 FM-0230/51 Claro Armchair: 50cm


Additional backcushion FM-0270/81: not fixed additional backcushion (W/H/D: 80/35/2 cm) covered with FSM-lining. It is placed between the backcushion and the corpus to reduce the seating depth. price per cushion:

Seating height: Standard 42 cm, Special height: 44,5 cm


Koki-metal support: Standard silver or Special design: black
 Special colours are not available

Feet: Standard: natural anodised aluminium or black
 Special design: polished chrome
 Special design: wood feet, natural coloured beech, lower part chrome-plated


additional price per component:
 additional price per component:



Complete with 2 headrest cushion metal supports and 1 Arm-/Headrest cushion (middle without cushion metal support)



Complete with 2 headrest cushion metal supports and 1 Arm-/Headrest cushion (middle without cushion metal support)



AE 226 L Left unit FM-0270/39 Complete with 1 ATKI		AE 226 L Left unit FM-0270/39KL with 1 fold-away back on the armrest side Complete with 1 ATKI		AE 226 R Right unit FM-0270/40 Complete with 1 ATKI		AE 226 R Right unit FM-0270/40KL with 1 fold-away back on the armrest side Complete with 1 ATKI		footrest turn to page 55 Please note the different versions.
226		226		226		226		
95 (150)		106 (161)		95 (150)		106 (161)		
80		80		80		80		
82,5 feet + 2,5 cm		82,5 feet + 2,5 cm		82,5 feet + 2,5 cm		82,5 feet + 2,5 cm		
54 reduced depth 52 cm		54 reduced depth 52 cm		54 reduced depth 52 cm		54 reduced depth 52 cm		
42		42		42		42		
44,5 feet + 2,5 cm		44,5 feet + 2,5 cm		44,5 feet + 2,5 cm		44,5 feet + 2,5 cm		
50 Special height 52,5 cm (feet + 2,5 cm)		50 Special height 52,5 cm (feet + 2,5 cm)		50 Special height 52,5 cm (feet + 2,5 cm)		50 Special height 52,5 cm (feet + 2,5 cm)		
10,90		10,90		10,90		10,90		
10,90		10,90		10,90		10,90		
16,10		16,10		16,10		16,10		
05								
07								
12								
14								
15								
16								
19								
F								
A/O								
K								
N								
W***								
Fully foam padded back cushion: addit. price Here: 3 back cushion: addit. price				Fully foam padded back cushion: addit. price Here: 3 back cushion: addit. price				

Footrest: - footrest supporting arm: silver / special version: black coated
- footrest upholstered pad: upholstered panel, covered


The footrest FM-0270/92 is operated manually, and can be fitted on the right and/or left of any sofa size and in centre of the AE 226 L/R (FM-0270/39, FM-0270/39KL, FM-0270/40, FM-0270/40KL).

The foot section with the automatic release FM-0270/95 can only be attached on the armrest side.


The footrest comes unassembled, packed separately in boxes.

All legs come with slot-in glides for carpet and parquet floors.

CLARUS



Complete with 2 headrest cushion metal supports and 1 Arm-/Headrest cushion



Complete with 2 headrest cushion metal supports and 1 Arm-/Headrest cushion

MODEL	AE 196 L Left unit FM-0270/29	AE 196 L Left unit FM-0270/29KL with 1 fold-away back on the armrest side	AE 196 R Right unit FM-0270/30	AE 196 R Right unit FM-0270/30KL with 1 fold-away back on the armrest side
	Complete with 1 ATKI	Complete with 1 ATKI	Complete with 1 ATKI	Complete with 1 ATKI

SIZES IN CM		AE 196 L Left unit		AE 196 R Right unit	
Width		196		196	
Depth		95 (150)	106 (161)	95 (150)	106 (161)
Height		80		80	
Special height		82,5 feet + 2,5 cm		82,5 feet + 2,5 cm	
Seating depth		54 reduced depth 52 cm		54 reduced depth 52 cm	
Seating height		42		42	
Special Seating height		44,5 feet + 2,5 cm		44,5 feet + 2,5 cm	
Armrest height		50 Special height 52,5 cm (feet + 2,5 cm)		50 Special height 52,5 cm (feet + 2,5 cm)	

FABRIC/LEATHER		AE 196 L Left unit		AE 196 R Right unit	
Front raw edge, rm/140		9,80		9,80	
Front selvedge, rm/140		9,80		9,80	
Leather sqm		14,35		14,35	

Customer's own fabric*			
Customer's own leather*			
(*See page 6)			
Fabric Price Group** 05			
(**See page 99)			
07			
12			
14			
15			
Microsede Col Cht. 16			
19			
Leather Price Group F			
A/O			
K			
N			
Requested Leather col. W***			

*** Description p. 95

Fully foam padded back cushion:	addit. price	Fully foam padded back cushion:	addit. price
Here: 2 back cushion:	addit. price	Here: 2 back cushion:	addit. price

ORDER INFORMATION Release button for the mechanism available in special steel (standard) or black lacquer


Seating depth: Standard 54 cm, Reduced depth: 52 cm (harder setup of the back about 2cm)
Additional backcushion FM-0270/81: not fixed additional backcushion (W/H/D: 80/35/2 cm) covered with FSM-lining. It is placed between the backcushion and the corpus to reduce the seating depth. price per cushion:

Seating height: Standard 42 cm, Special height: 44,5 cm


Koki-metal support: Standard silver or Special design: black
 Special colours are not available

Feet: Standard: natural anodised aluminium or black
 Special design: polished chrome
 Special design: wood feet, natural coloured beech, lower part chrome-plated


additional price per component:
 additional price per component:



Complete with 2 headrest cushion metal supports and 1 Arm-/Headrest cushion



Complete with 2 headrest cushion metal supports and 1 Arm-/Headrest cushion



AE 176 L Left unit FM-0270/19		AE 176 L Left unit FM-0270/19KL with 1 fold-away back on the armrest side		AE 176 R Right unit FM-0270/20		AE 176 R Right unit FM-0270/20KL with 1 fold-away back on the armrest side		footrest turn to page 55 Please note the different versions.	
Complete with 1 ATKI		Complete with 1 ATKI		Complete with 1 ATKI		Complete with 1 ATKI			
176		176		176		176			
95 (150)		106 (161)		95 (150)		106 (161)			
80		80		80		80			
82,5 feet + 2.5 cm		82,5 feet + 2.5 cm		82,5 feet + 2.5 cm		82,5 feet + 2.5 cm			
54 reduced depth 52 cm		54 reduced depth 52 cm		54 reduced depth 52 cm		54 reduced depth 52 cm			
42		42		42		42			
44,5 feet + 2,5 cm		44,5 feet + 2,5 cm		44,5 feet + 2,5 cm		44,5 feet + 2,5 cm			
50 Special height 52,5 cm (feet + 2,5 cm)		50 Special height 52,5 cm (feet + 2,5 cm)		50 Special height 52,5 cm (feet + 2,5 cm)		50 Special height 52,5 cm (feet + 2,5 cm)			
8,60		8,60		8,60		8,60			
8,60		8,60		8,60		8,60			
13,05		13,05		13,05		13,05			
05									
07									
12									
14									
15									
16									
19									
F									
A/O									
K									
N									
W***									
Fully foam padded back cushion: addit. price Here: 2 back cushion: addit. price				Fully foam padded back cushion: addit. price Here: 2 back cushion: addit. price					


Footrest: - footrest supporting arm: silver / special version: black coated
- footrest upholstered pad: upholstered panel, covered

The footrest FM-0270/92 is operated manually, and can be fitted on the right and/or left of any sofa size.
The foot section with the automatic release FM-0270/95 can only be attached on the armrest side.


The footrest comes unassembled, packed separately in boxes.

All legs come with slot-in glides for carpet and parquet floors.

CLARUS



Complete with 2 headrest cushion metal supports and 1 Arm-/Headrest cushion



Complete with 2 headrest cushion metal supports and 1 Arm-/Headrest cushion

MODEL	AE 156 L Left unit FM-0270/09 Complete with 1 ATKI	AE 156 L Left unit FM-0270/09KL with 1 fold-away back on the armrest side Complete with 1 ATKI	AE 156 R Right unit FM-0270/10 Complete with 1 ATKI	AE 156 R Right unit FM-0270/10KL with 1 fold-away back on the armrest side Complete with 1 ATKI
-------	--	--	---	---

SIZES IN CM		AE 156 L Left unit		AE 156 R Right unit	
Width		156		156	
Depth		95 (150)	106 (161)	95 (150)	106 (161)
Height		80		80	
Special height		82,5 feet + 2,5 cm		82,5 feet + 2,5 cm	
Seating depth		54 reduced depth 52 cm		54 reduced depth 52 cm	
Seating height		42		42	
Special Seating height		44,5 feet + 2,5 cm		44,5 feet + 2,5 cm	
Armrest height		50 Special height 52,5 cm (feet + 2,5 cm)		50 Special height 52,5 cm (feet + 2,5 cm)	

FABRIC/LEATHER		AE 156 L Left unit		AE 156 R Right unit	
Front raw edge, rm/140		8,10		8,10	
Front selvedge, rm/140		8,10		8,10	
Leather sqm		12,00		12,00	


Customer's own fabric*			
Customer's own leather*			
(*See page 6)			
Fabric Price Group** 05			
(**See page 99)			
07			
12			
14			
15			
Microsede Col Cht. 16			
19			
Leather Price Group F			
A/O			
K			
N			
Requested Leather col. W***			

*** Description p. 95


Fully foam padded back cushion: addit. price	Fully foam padded back cushion: addit. price
Here: 2 back cushion: addit. price	Here: 2 back cushion: addit. price

ORDER INFORMATION Release button for the mechanism available in special steel (standard) or black lacquer


- Seating depth:** Standard 54 cm, Reduced depth: 52 cm (harder setup of the back about 2cm)
- Additional backcushion FM-0270/81:** not fixed additional backcushion (W/H/D: 80/35/2 cm) covered with FSM-lining. It is placed between the backcushion and the corpus to reduce the seating depth. price per cushion:
- Seating height:** Standard 42 cm, Special height: 44,5 cm
- Koki-metal support:** Standard silver or Special design: black
Special colours are not available
- Feet:** Standard: natural anodised aluminium or black
Special design: polished chrome additional price per component:
Special design: wood feet, natural coloured beech, additional price per component:
lower part chrome-plated



Complete with 1 headrest cushion metal support built into the small corpus back on the attachment side and 1 Arm-/Headrest cushion



Complete with 1 headrest cushion metal support built into the small corpus back on the attachment side and 1 Arm-/Headrest cushion



footrest turn to page 55

**REC 230 L Recamiere left
FM-0270/69**
(can be used as an individual element only in a limited manner)
ATTENTION: no footparts possible

**REC 230 R Recamiere right
FM-0270/70**
(can be used as an individual element only in a limited manner)
ATTENTION: no footparts possible

Please note the different versions.

Complete with 1 ATKI

Complete with 1 ATKI

230
95
80
82,5 feet + 2.5 cm
54 reduced depth 52 cm
42
44,5 feet + 2,5 cm
--- Special height 52,5 cm
(feet + 2,5 cm)

230
95
80
82,5 feet + 2.5 cm
54 reduced depth 52 cm
42
44,5 feet + 2,5 cm
--- Special height 52,5 cm
(feet + 2,5 cm)

10,50
10,50
15,75

10,50
10,50
15,75

05

07

12

14

15

16

19

F

A/O

K

N

W***

Fully foam padded back cushion: addit. price
Here: 2 back cushion: addit. price

Fully foam padded back cushion: addit. price
Here: 2 back cushion: addit. price


Footrest: - footrest supporting arm: silver / special version: black coated
- footrest upholstered pad: upholstered panel, covered

The footrest FM-0270/92 is operated manually, and can be fitted on the right and/or left of any sofa size.
The foot section with the automatic release FM-0270/95 can only be attached on the armrest side.
Please note, that there is no possibility to install footparts underneath the recamiere-elements.


The footrest comes unassembled, packed separately in boxes.

All legs come with slot-in glides for carpet and parquet floors.

CLARUS



Complete with 1 headrest cushion metal support built into the small corpus back on the attachment side and 1 Arm-/Headrest cushion



Complete with 1 headrest cushion metal support built into the small corpus back on the attachment side and 1 Arm-/Headrest cushion

MODEL	<p>REC 165 R Recamiere left FM-0270/59 (can be used as an individual element only in a limited manner) ATTENTION: no footparts possible</p> <p>Complete with 1 ATKI</p>	<p>REC 165 R Recamiere right FM-0270/60 (can be used as an individual element only in a limited manner) ATTENTION: no footparts possible</p> <p>Complete with 1 ATKI</p>
--------------	--	---

SIZES IN CM		
Width	165	165
Depth	95	95
Height	80	80
Special height	82,5 feet + 2.5 cm	82,5 feet + 2.5 cm
Seating depth	54 reduced depth 52 cm	54 reduced depth 52 cm
Seating height	42	42
Special Seating height	44,5 feet + 2,5 cm	44,5 feet + 2,5 cm
Armrest height	---	---

FABRIC/LEATHER		
Front raw edge, rm/140	9,00	9,00
Front selvedge, rm/140	9,00	9,00
Leather sqm	12,30	12,30

Customer's own fabric*		
Customer's own leather*		
(*See page 6)		
Fabric Price Group** 05		
(**See page 99)		
07		
12		
14		
15		
Microsede Col Cht. 16		
19		
Leather Price Group F		
A/O		
K		
N		
Requested Leather col. W***		
*** Description p. 95	<p>Fully foam padded back cushion: addit. price Here: 2 back cushion: addit. price</p>	<p>Fully foam padded back cushion: addit. price Here: 2 back cushion: addit. price</p>

ORDER INFORMATION


Seating depth: Standard 54 cm, Reduced depth: 52 cm (harder setup of the back about 2cm)

Additional backcushion FM-0270/81: not fixed additional backcushion (W/H/D: 80/35/2 cm) covered with FSM-lining. It is placed between the backcushion and the corpus to reduce the seating depth. price per cushion:



Seating height: Standard 42 cm, Special height: 44,5 cm

Koki-metal support: Standard silver or Special design: black
 Special colours are not available

Feet: Standard: natural anodised aluminium or black
 Special design: polished chrome additional price per component:
 Special design: wood feet, natural coloured beech, additional price per component:
 lower part chrome-plated



Complete with 2 headrest cushion
metal supports



ECKE 95 / 95 Corner Unit
FM-0270/08

FUTL HAND
FM-0270/92
for sofa
padded footrest with
manual pull out
with lock

FUTL AUTOMATIC
FM-0270/95
for sofa
padded footrest
with automatic pull out
with lock

95
95
80
82,5 feet + 2.5 cm
54 reduced depth 52 cm
42
44,5 feet + 2,5 cm

51
51

51
51

4,60
5,00
8,50

0,70
0,70
0,80

0,70
0,70
0,80

05

07

12

14

15

16

19

F

A/O

K

N

W***

Fully foam padded back cushion: addit. price
Here: 2 back cushion: addit. price

Footrest: - footrest supporting arm: silver / special version: black coated
- footrest upholstered pad: upholstered panel, covered

Footrests: If ordering the footrest with the automatic action please state the position of installation,
i.e. to the left or right seen from in front.


The footrest FM-0270/92 is operated manually, and can be fitted on the right and/or left of any sofa size and in centre of the SO 238 Sofa (FM-0270/03 & FM-0270/03KL) as soon as AE 226 L/R (FM-0270/39, FM-0270/39KL, FM-0270/40, FM-0270/40KL).

The foot section with the automatic release FM-0270/95 can only be attached on the armrest side.
Please note, that there is no possibility to install footparts underneath the recamiere-elements.
The footrest comes unassembled, packed separately in boxes.


All legs come with slot-in glides for carpet and parquet floors.

Cushion padding


Standard back cushion



Special back cushion design




Seat cushion



Seam type

Fell seam



We do not process velours.

We use comfort Bultex in different strengths and volume weight for our high-quality padding. They exceed RAL requirements.

Enviromental balance

Frame: The beech-plywood construction is untreated. The metal frame has an epoxy resin coating.

Padding: The polyurethane foam used is produced with water vapour and is CFC-free.

Adhesives: Most of the adhesives are water-based products. For complex bonds, we now use adhesives containing reduced amounts of solvent.

Mechanical design: The pull-out mechanics are screwed to the seat frame and are removable. On recovering, it is overhauled and reused. The head cushion support is also removable and reusable.

Leather covers: The dyes in our shagreen are free from solvent on completion of the production process. Since 1985, FSM has processed leather with reduced chrome content and free from solvents. This exceeds German environmental standards.